

Pelletizer Blades / Knives

Model	Part Number	Description	Dimensions (Inches)			Quantity of Mounting holes	Material
			Width	Thickness	Length		
100	106-124	Bed Knife	1	0.437	5.985	4	Carbide
	106-15	Doctor Blade	0.84	0.187	5.985	5	Stainless
	106-94	Bed Knife	1	0.437	5.985	4	Stellite
	108-124	Bed Knife	1	0.437	7.985	5	Carbide
	108-124-1	Bed Knife	1	0.437	7.985	5	CPM-M4
	108-94	Bed Knife	1	0.437	7.985	5	440C
	112-124	Bed Knife	1	0.437	11.985	7	Carbide
	112-15	Doctor Blade	0.84	0.187	11.985	8	Stainless
200	204-1299	Bed Knife	1	0.437	5.985	3	Carbide
	204-1300	Doctor Blade	0.84	0.187	6	2	Stainless
	204-1300-T	Doctor Blade	0.84	0.187	6	2	Carbide
	204-1355	Rotor Knife	1	0.1875	4.843	N/A	Solid Carbide
	204-1355-1	Rotor Knife	1	0.1875	4.843	N/A	D2 Steel
	204-1355-3	Rotor Knife	1	0.1875	4.843	N/A	CPM-10V
	206-1300	Doctor Blade	0.84	0.187	8	4	Stainless
	206-1300-C	Doctor Blade	0.84	0.187	8	4	Ceramic
	206-1300-T	Doctor Blade	0.84	0.187	8	4	Carbide
	206-1355	Rotor Knife	1	0.1875	6.843	N/A	Solid Carbide
	206-1355-1	Rotor Knife	1	0.1875	6.843	N/A	D2 Steel
	206-1355-3	Rotor Knife	1	0.1875	6.843	N/A	CPM-10V
	206-174	Rotor Knife	1.24	0.218	6.625	4	Carbide
	206-174-1	Rotor Knife	1.24	0.218	5.875	4	416 Stainless
	206-174-2	Rotor Knife	1.24	0.218	6.625	4	D2 Steel
	206-174-3	Rotor Knife	1.24	0.218	6.625	4	CPM-10V
	206-174-4	Rotor Knife	1.24	0.218	6.625	4	440C Stainless
	206-306	Use # 108-94					
	206-307	Doctor Blade	0.84	0.187	8.11	6	Stainless
	206-307T	Doctor Blade	0.84	0.187	8.11	6	Carbide
	206-369	Use # 108-124					
	206-403	Rotor Knife	2	0.375	6.625	4	Carbide
	206-403-1	Rotor Knife	2	0.375	6.625	4	Carbide
206-403-2	Rotor Knife	2	0.375	6.625	4	CPM-10V	

Note: If blade is not found in list, please call the Conair Parts Department with serial number.

Pelletizer Blades / Knives (continued)

Model	Part Number	Description	Dimensions (Inches)			Quantity of Mounting holes	Material
			Width	Thickness	Length		
200	208-1299	Bed Knife	1	0.437	10.11	5	Carbide
	208-1299-1	Bed Knife	1	0.437	10.11	5	CPM-24V
	208-1300	Doctor Blade	0.84	0.187	10	4	Stainless
	208-1300-T	Doctor Blade	0.84	0.187	10	4	Carbide
	208-1355	Rotor Knife	1	0.1875	8.843	N/A	Solid Carbide
	208-1355-1	Rotor Knife	1	0.1875	8.843	N/A	D2 Steel
	208-1355-3	Rotor Knife	1	0.1875	8.843	N/A	CPM-10V
	208-174	Rotor Knife	1.24	0.218	8.625	5	Carbide
	208-174-1	Rotor Knife	1.24	0.218	7.875	5	416 Stainless
	208-174-2	Rotor Knife	1.24	0.218	8.625	5	D2 Steel
	208-174-3	Rotor Knife	1.24	0.218	8.625	5	CPM-10V
	208-174-4	Rotor Knife	1.24	0.218	8.625	5	440C Stainless
	208-306	Bed Knife	1	0.437	10.11	7	Stainless
	208-307	Doctor Blade	0.84	0.187	10.11	6	Stainless
	208-307-T	Doctor Blade	0.84	0.187	10.11	6	Carbide
	208-369	Bed Knife	1	0.437	10.11	7	Carbide
	212-1300	Doctor Blade	0.84	0.187	14	8	Stainless
	212-1300-T	Doctor Blade	0.84	0.187	14	8	Carbide
	212-174	Rotor Knife	1.24	0.218	12.625	7	Carbide
	212-174-1	Rotor Knife	1.24	0.218	11.875	7	416 Stainless
	212-174-2	Rotor Knife	1.24	0.218	12.625	7	D2 Steel
	212-174-3	Rotor Knife	1.24	0.218	12.625	7	CPM-10V
	212-174-4	Rotor Knife	1.24	0.218	12.625	7	440C Stainless
	212-306	Bed Knife	1	0.437	14.11	9	Stainless
	212-307	Doctor Blade	0.84	0.187	14.11	10	Stainless
	212-307-T	Doctor Blade	0.84	0.187	14.11	10	Carbide
	212-369	Bed Knife	1	0.437	14.11	9	Carbide
	212-403	Rotor Knife	2	0.375	12.625	7	Carbide
304	304-35	Doctor Blade	0.78	0.1875	4.5	4	Stainless
	304-49	Rotor Knife	1.19	0.1875	4	3	Solid Carbide
	304-49-1	Rotor Knife	1.19	0.1875	4	3	D2 Steel
	304-49-2	Rotor Knife	1.19	0.1875	4	3	440C Stainless
	304-5	Bed Knife	1	0.25	4.687	3	D2 Steel
	304-5-1	Bed Knife	1	0.25	4.5	3	D2 Steel
	304-5-2	Bed Knife	1	0.25	4.5	3	Carbide
	304-5-3	Bed Knife	1	0.25	4.5	3	Ceramic

Note: If blade is not found in list, please call the Conair Parts Department with serial number.

Pelletizer Blades / Knives (continued)

Model	Part Number	Description	Dimensions (Inches)			Quantity of Mounting holes	Material
			Width	Thickness	Length		
306	306-35	Doctor Blade	0.82	0.187	6.5	5	Stainless
	306-35-T	Doctor Blade	0.82	0.187	6.5	5	Carbide
	306-5	Bed Knife	1	0.25	6.5	4	D2 Steel
	306-5-1	Bed Knife	1	0.25	6.5	4	Carbide
3000	3006-707	Rotor Knife	1	0.1875	6.843	N/A	Solid Carbide
	3006-707-1	Rotor Knife	1	0.1875	5.843	N/A	Solid Carbide
	3006-707-2	Rotor Knife	1.13	0.1875	6.843	N/A	Solid Carbide
	3006-719	Doctor Blade	1.26	0.375	8.106	5	Carbide
	3008-183	Bed Knife	1.5	0.375	9.896	4	Solid Carbide
	3008-469	Bed Knife	1.5	0.375	9.894	4	440C Stainless
	3008-707	Rotor Knife	1	0.1875	8.843	N/A	Solid Carbide
	3008-707-1	Rotor Knife	1	0.1875	4.843	N/A	Solid Carbide
	3008-707-2	Rotor Knife	1	0.1875	6.843	N/A	D2 Steel
	3008-719	Doctor Blade	1.26	0.375	10.106	5	Carbide
	3008-891	Doctor Blade	1.42	0.375	9.894	5	D2 Steel
	3012-149	Bed Knife	1.38	0.375	12.291	7	Carbide
	3012-17	Bed Knife	1.38	0.375	12.291	7	440C Stainless
	3012-183	Bed Knife	1.5	0.375	13.957	6	Solid Carbide
	3012-469	Bed Knife	1.5	0.375	13.957	6	440C Stainless
	3012-757	Rotor Knife	1	0.1875	12.155	N/A	Solid Carbide
	3012-757-1	Rotor Knife	1.13	0.1875	12.155	N/A	Solid Carbide
	3012-757-2	Rotor Knife	0.98	0.1875	12.155	N/A	Solid Carbide
	3012-757-3	Rotor Knife	1	0.1875	12.155	N/A	D2 Steel
	3012-757-4	Rotor Knife	1	0.1875	12.155	N/A	CPM-10V
	3012-757-S	Rotor Knife	1	0.1875	12.155	N/A	Stellite
	3012-891	Doctor Blade	1.42	0.375	13.957	5	D2 Steel
	312-9	Doctor Blade	1.58	0.25	12.291	6	Stainless
	3016-149	Bed Knife	1.38	0.375	16.353	9	Solid Carbide
	3016-17	Bed Knife	1.38	0.375	16.353	9	440C Stainless
	3016-183	Bed Knife	1.5	0.375	9.01	4	Solid Carbide
	3016-183-2	Bed Knife	1.5	0.375	9.01	4	Stellite
	3016-183-N	Bed Knife	1.5	0.375	9.01	4	Carbide
	3016-469	Bed Knife	1.5	0.375	18.019	8	440C Stainless
	3016-757	Rotor Knife	1	0.1875	8.109	N/A	Solid Carbide
	3016-757-1	Rotor Knife	1.1875	0.1875	8.109	N/A	Solid Carbide
	3016-757-3	Rotor Knife	1.1875	0.1875	8.109	N/A	D2 Steel

Note: If blade is not found in list, please call the Conair Parts Department with serial number.

Pelletizer Blades / Knives (continued)

Model	Part Number	Description	Dimensions (Inches)			Quantity of Mounting holes	Material
			Width	Thickness	Length		
3000	3016-891	Doctor Blade	1.42	0.375	18.02	7	D2 Steel
	3016-891-T	Doctor Blade	1.42	0.375	18.02	7	Carbide
	3016-9	Doctor Blade	1.58	0.25	16.353	8	Stainless
	3020-17	Bed Knife	1.38	0.375	20.415	11	440C Stainless
	3020-183	Bed Knife	1.5	0.375	11.041	7	Solid Carbide
	3020-3429	Doctor Blade	1.58	0.25	20.415	10	Stainless
	3020-469	Bed Knife	1.5	0.375	22.082	12	440C Stainless
	3020-689	Doctor Blade	1.4	0.312	22.082	11	Stainless
	3020-757	Rotor Knife	1	0.1875	10.14	N/A	Solid Carbide
	3020-891	Doctor Blade	1.42	0.375	22.082	11	D2 Steel
	3020-9	Doctor Blade	1.58	0.25	20.415	10	Stainless
	3024-149	Bed Knife	1.38	0.375	12.238	7	Solid Carbide
	3024-17	Bed Knife	1.38	0.375	12.238	7	440C Stainless
	3024-3429-T	Doctor Blade	1.58	0.25	32.48	N/A	Carbide
	3024-757	Use # 3012-757					
	3024-891	Doctor Blade	1.46	0.375	26.148	13	Stainless
	3024-891-T	Doctor Blade	1.46	0.375	26.148	13	Carbide
	3024-9	Doctor Blade	1.58	0.25	24.479	13	Stainless
	3028-17	Bed Knife	1.38	0.375	14.437	8	440C Stainless
	3028-9	Doctor Blade	1.58	0.25	14.437	7	Stainless
	3032-149	Bed Knife	1.38	0.375	16.24	9	Solid Carbide
	3032-155	Doctor Blade	1.56	0.25	32.48	17	440C Stainless
	3032-155-T	Doctor Blade	1.56	0.25	32.48	17	Carbide
	3032-17-1	Bed Knife	1.38	0.375	16.24	9	440C Stainless
	3032-17-2	Bed Knife	1.38	0.375	16.24	20	Carbide
	3032-183	Bed Knife	1.5	0.375	17.135	8	Solid Carbide
3032-3429	Doctor Blade	1.58	0.25	32.48	28	Stainless	
3032-9	Use # 3032-155						
3032-757	Rotor Knife	1	0.1875	8.058	N/A	Solid Carbide	
3500	3508-1109	Doctor Blade	1.25	0.38	9.896	5	Stainless
	3508-1109-T	Doctor Blade	1.25	0.38	9.896	5	Carbide
	3508-2716	Doctor Blade	1.27	0.38	9.914	5	Stainless
	3508-2716-C	Doctor Blade	1.27	0.38	9.914	5	Ceramic
	3508-2716-T	Doctor Blade	1.27	0.38	9.914	5	Carbide
	3508-3075	Doctor Blade	1.27	0.38	9.914	5	Stainless

Note: If blade is not found in list, please call the Conair Parts Department with serial number.

Pelletizer Blades / Knives (continued)

Model	Part Number	Description	Dimensions (Inches)			Quantity of Mounting holes	Material
			Width	Thickness	Length		
3500	3508-3075-T	Doctor Blade	1.27	0.38	9.914	5	Carbide
	3512-1109	Doctor Blade	1.27	0.38	13.956	5	Stainless
	3512-1109-T	Doctor Blade	1.27	0.38	13.956	5	Carbide
	3512-2716	Doctor Blade	1.27	0.38	13.956	5	Stainless
	3512-2716-C	Doctor Blade	1.27	0.38	13.956	5	Carbide
	3512-2716-T	Doctor Blade	1.27	0.38	13.956	5	Ceramic
	3512-3075	Doctor Blade	1.27	0.38	13.956	5	Stainless
	3512-3075-T	Doctor Blade	1.27	0.38	13.956	5	Carbide
	3516-1109	Doctor Blade	1.27	0.38	18.02	7	Stainless
	3516-1109-T	Doctor Blade	1.27	0.38	18.02	7	Carbide
	3516-1695	Rotor Knife	1.88	0.312	16.25	9	Solid Carbide
	3516-1934	Rotor Knife	1.63	0.312	16.228	5	Carbide
	3516-1934-1	Rotor Knife	1.5	0.312	16.228	5	Carbide
	3516-2554	Rotor Knife	2.13	0.312	16.25	8	Solid Carbide
	3516-2716	Doctor Blade	1.27	0.38	18.02	7	Stainless
	3516-3075	Doctor Blade	1.27	0.38	18.02	7	Stainless
	3516-3075-T	Doctor Blade	1.27	0.38	18.02	7	Carbide
	3520-1109	Doctor Blade	1.27	0.38	22.082	10	Stainless
	3520-1109-T	Doctor Blade	1.27	0.38	22.082	10	Carbide
	3520-1718	Rotor Knife	1.5	0.312	10.136	6	Solid Carbide
	3520-2716	Doctor Blade	1.27	0.38	22.102	11	Stainless
	3520-2716-T	Doctor Blade	1.27	0.38	22.102	11	Carbide
	3520-3075	Doctor Blade	1.27	0.38	22.082	11	Stainless
	3520-3075-T	Doctor Blade	1.27	0.38	22.082	11	Carbide
	3524-1109	Doctor Blade	1.27	0.375	26.148	13	Stainless
	3524-3075	Doctor Blade	1.27	0.38	26.144	13	Stainless
	3524-3075-T	Doctor Blade	1.27	0.38	26.144	13	Carbide
	3524-3132	Doctor Blade	1.27	0.38	26.144	13	Stainless
	3524-3132-T	Doctor Blade	1.27	0.38	26.144	13	Carbide
9000	9020-0013	Doctor Blade	1.68	0.38	22.082	11	Stainless
	9024-0104	Doctor Blade	1.68	0.38	26.164	13	Stainless
	9024-0104-C	Doctor Blade	1.68	0.38	26.164	13	Ceramic
	9024-0104-T	Doctor Blade	1.68	0.38	26.164	13	Carbide

Note: If blade is not found in list, please call the Conair Parts Department with serial number.

Pelletizer Feedrolls

Model	Part Number	Description	Durometer	Dimensions (Inches)			Shaft Type
				Roll Width	Roll OD	Total Length	
100	106-176	LFR Knurled		5.88	1.88	12.978	Keyed
	108-176	LFR Knurled		7.88	1.88	14.979	Keyed
	112-176	LFR Knurled		11.88	1.88	18.979	Keyed
204	204-1395	LFR Ceramic Coated		4.88	1.88	13.95	Keyed
	204-217	LFR Knurled		4.88	1.88	13.95	Keyed
	204-217-1	LFR Knurled		4.88	1.88	12.45	Keyed
	204-23-1	LFR Knurled		4.88	1.88	13.95	Keyed
	204-23-2	LFR Knurled		4.88	1.88	16.56	Keyed
	204-25-1	UFR Hypalon Covered (White)	85-90	4.88	3.70	10.951	Keyed
	204-25-2	UFR Hypalon Covered (White)	65-70	4.88	3.70	10.951	Keyed
	204-25-3	UFR Hypalon Covered (Black)	65-70	4.88	3.70	10.951	Keyed
	204-25-4	UFR Hypalon Covered (White)	65-70	4.88	3.70	12.201	Keyed
	204-25-5	UFR Carboxylated Nitrile Covered (White)	70	4.88	3.70	12.201	Keyed
	204-25-6	UFR Carboxylated Nitrile Covered (White)	85	4.88	3.70	9.451	Keyed
	204-25-7	UFR Carboxylated Nitrile Covered (White)	90	4.88	3.70	9.451	Keyed
	204-877	LFR Covered	65-70	4.88	1.88	13.95	Keyed
	204-877-1	LFR Covered	85-90	4.88	1.88	13.95	Keyed
	206	206-1052	LFR Covered	65-70	6.88	1.88	15.95
206-1053		UFR Urethane Covered	85-90	6.88	3.70	12.951	Keyed
206-135-1		LFR Knurled		6.88	3.70	12.951	Keyed
206-135-2		LFR Knurled		6.88	3.70	12.951	Keyed
206-135-3		LFR Knurled		6.88	3.70	14.201	Keyed
206-1395		LFR Ceramic Coated		6.88	1.88	15.95	Keyed
206-217		LFR Knurled		6.88	1.88	15.95	Keyed
206-217-1		LFR Knurled		6.88	1.88	14.45	Keyed
206-217-1-C		LFR Smooth Ceramic Coated		6.88	1.88	14.45	Keyed
206-217-1-T		LFR Knurled Carbide Coated		6.88	1.88	14.45	Keyed
206-23-1		LFR Knurled		6.88	1.88	15.95	Keyed
206-23-2		LFR Knurled		6.88	1.88	18.56	Keyed
206-25-1		UFR Hypalon Covered (White)	85-90	6.88	3.70	12.951	Keyed
206-25-2		UFR Hypalon Covered (White)	65-70	6.88	3.70	12.951	Keyed
206-25-3		UFR Hypalon Covered (Black)	65-70	6.88	3.70	12.951	Keyed
206-25-4		UFR Hypalon Covered (White)	65-70	6.88	3.70	14.201	Keyed
206-25-5		UFR Carboxylated Nitrile Covered (White)	70	6.88	3.70	14.201	Keyed

Pelletizer Feedrolls (continued)

Model	Part Number	Description	Durometer	Dimensions (Inches)			Shaft Type
				Roll Width	Roll OD	Total Length	
206	206-25-6	UFR Carboxylated Nitrile Covered (White)	85	6.88	3.70	11.451	Keyed
	206-25-7	UFR Carboxylated Nitrile Covered (White)	90	6.88	3.70	11.451	Keyed
	206-29	LFR Serrated Carbide Coated		6.88	1.88	15.95	Keyed
	206-30-1	UFR Serrated		8.65	3.70	12.951	Keyed
	206-30-2	UFR Serrated		8.65	3.70	12.951	Keyed
	206-552	LFR Serrated		6.88	1.88	15.20	Keyed
	206-877	LFR Covered	65-70	6.88	1.88	15.95	Keyed
	206-877-1	LFR Covered	85-90	6.88	1.88	15.90	Keyed
	208	208-1052	LFR Covered	65-70	8.88	1.88	17.95
208-1053		UFR Urethane Covered	85-90	8.88	3.70	14.951	Keyed
208-135-1		LFR Knurled		8.88	3.70	14.951	Keyed
208-135-2		LFR Knurled		8.88	3.70	14.951	Keyed
208-135-3		LFR Knurled		8.88	3.70	16.201	Keyed
208-1395		LFR Ceramic Coated		8.88	1.88	17.95	Keyed
208-217		LFR Knurled		8.88	1.88	17.95	Keyed
208-217-1		LFR Knurled		8.88	1.88	16.45	Keyed
208-23-1		LFR Knurled		8.88	1.88	17.95	Keyed
208-23-2		LFR Knurled		8.88	1.88	20.56	Keyed
208-25-1		UFR Hypalon Covered (White)	85-90	9.79	3.70	14.951	Keyed
208-25-2		UFR Hypalon Covered (White)	65-70	9.79	3.70	14.951	Keyed
208-25-3		UFR Hypalon Covered (Black)	65-70	9.79	3.70	14.951	Keyed
208-25-4		UFR Hypalon Covered (White)	65-70	9.79	3.70	16.201	Keyed
208-25-5		UFR Carboxylated Nitrile Covered (White)	70	9.79	3.70	16.201	Keyed
208-25-6		UFR Carboxylated Nitrile Covered (White)	85	8.88	3.70	13.451	Keyed
208-25-7		UFR Carboxylated Nitrile Covered (White)	90	8.88	3.70	13.451	Keyed
208-29		LFR Serrated Carbide Coated		8.88	1.88	17.95	Keyed
208-30-1		UFR Serrated		10.65	3.70	14.951	Keyed
208-30-2		UFR Serrated		10.65	3.70	14.951	Keyed
208-552		LFR Serrated		8.88	1.88	17.2	Keyed
208-877		LFR Covered	65-70	8.88	1.88	17.95	Keyed
208-877-1		LFR Covered	85-90	8.88	1.88	17.95	Keyed

Pelletizer Feedrolls (continued)

Model	Part Number	Description	Durometer	Dimensions (Inches)			Shaft Type	
				Roll Width	Roll OD	Total Length		
212	212-1052	LFR Covered	65-70	12.88	1.88	21.95	Keyed	
	212-1053	UFR Urethane Covered	85-90	12.88	3.70	18.951	Keyed	
	212-135-1	LFR Knurled		12.88	3.70	18.951	Keyed	
	212-135-2	LFR Knurled		12.88	3.70	18.951	Keyed	
	212-135-3	LFR Knurled		12.88	3.70	20.201	Keyed	
	212-1395	LFR Ceramic Coated		12.88	1.88	21.95	Keyed	
	212-217	LFR Knurled		12.88	1.88	21.95	Keyed	
	212-217-1	LFR Knurled		12.88	1.88	20.45	Keyed	
	212-23-1	LFR Knurled		12.88	1.88	21.95	Keyed	
	212-23-2	LFR Knurled		12.88	1.88	24.56	Keyed	
	212-25-1	UFR Hypalon Covered (White)	85-90	12.88	3.70	18.951	Keyed	
	212-25-2	UFR Hypalon Covered (White)	65-70	12.88	3.70	18.951	Keyed	
	212-25-3	UFR Hypalon Covered (Black)	65-70	12.88	3.70	18.951	Keyed	
	212-25-4	UFR Hypalon Covered (White)	65-70	12.88	3.70	20.201	Keyed	
	212-25-5	UFR Carboxylated Nitrile Covered (White)	70	12.88	3.70	20.201	Keyed	
	212-25-6	UFR Carboxylated Nitrile Covered (White)	85	12.88	3.70	17.451	Keyed	
	212-25-7	UFR Carboxylated Nitrile Covered (White)	90	12.88	3.70	17.451	Keyed	
	212-29	LFR Serrated Carbide Coated		12.88	1.88	21.95	Keyed	
	212-30-1	UFR Serrated		14.65	3.70	18.951	Keyed	
	212-30-2	UFR Serrated		14.65	3.70	18.951	Keyed	
	212-552	LFR Serrated		12.88	1.88	21.20	Keyed	
	212-877	LFR Covered	65-70	12.88	1.88	21.95	Keyed	
	212-877-1	LFR Covered	85-90	12.88	1.88	21.95	Keyed	
	304	304-16	LFR Knurled		4.00	1.63	11.19	Keyed
		304-16-C	LFR Knurled Ceramic		4.00	1.63	11.19	Keyed
		304-16-T	LFR Knurled Carbide		4.00	1.63	11.19	Keyed
304-19-1		UFR Hypalon Covered	65-70	3.56	2.75	3.718	Keyed	
304-75		UFR Knurled		3.56	3.25	3.718	Keyed	
306	306-16	LFR Knurled		6.00	1.63	13.19	Keyed	
	306-16-T	LFR Knurled Carbide		6.00	1.63	13.19	Keyed	
	306-16-19	UFR Hypalon Covered	65-70	5.56	2.75	5.718	Keyed	
	306-75	UFR Knurled		5.56	3.25	5.718	Keyed	
3008	3008-1034	UFR Hypalon Covered	60-70	9.04	5.50	17.041	Keyed	
	3008-185	LFR Knurled		8.06	3.00	18.437	Keyed	
	3008-553	LFR Knurled		9.29	3.00	20.035	Keyed	

Pelletizer Feedrolls (continued)

Model	Part Number	Description	Durometer	Dimensions (Inches)			Shaft Type
				Roll Width	Roll OD	Total Length	
3012	3012-1034	UFR Hypalon Covered	60-70	13.10	5.50	21.103	Keyed
	3012-185	LFR Knurled		12.12	3.00	22.50	Keyed
	3012-186	LFR Covered	65-70	12.12	2.50	22.50	Keyed
	3012-553	LFR Knurled		13.35	3.00	24.101	Keyed
3016	3016-1034	UFR Hypalon Covered	60-70	17.16	5.50	25.165	Keyed
	3016-185	LFR Knurled		16.18	3.00	26.362	Keyed
	3016-186	LFR Covered	65-70	16.18	2.50	26.562	Keyed
	3016-553	LFR Knurled		17.41	3.00	28.164	Keyed
3020	3020-1034	UFR Hypalon Covered	60-70	21.23	5.50	29.227	Keyed
	3020-185	LFR Knurled		20.24	3.00	30.615	Keyed
	3020-186	LFR Covered	65-70	20.24	2.50	30.615	Keyed
	3020-553	LFR Knurled		21.48	3.00	32.226	Keyed
3024	3024-1034	UFR Hypalon Covered	60-70	25.28	5.50	33.289	Keyed
	3024-185	LFR Knurled		24.31	3.00	34.685	Keyed
	3024-186	LFR Covered	65-70	24.31	2.50	34.685	Keyed
3028	3028-1034	UFR Hypalon Covered	60-70	29.35	5.50	37.351	Keyed
	3028-185	LFR Knurled		28.37	3.00	38.75	Keyed
3032	3032-1034	UFR Hypalon Covered	60-70	33.41	5.50	41.413	Keyed
	3032-185	LFR Knurled		32.31	3.00	42.685	Keyed
	3032-186	LFR Covered	65-70	32.31	2.50	42.685	Keyed
	3032-213-1	LFR Knurled		32.31	3.00	44.93	Keyed
	3032-213-2	LFR Knurled	32.31	3.00	46.53	Keyed	
	3032-3118	UFR Hypalon Covered	65-70	31.82	4.50	42.37	Keyed/Splined
	3032-3118-1	UFR Hypalon Covered		31.82	4.50	41.62	Keyed/Splined
	3032-3443	LFR Ceramic	32.31	3.00	42.69	Keyed	
	3032-3595	LFR Knurled	32.31	3.25	42.942	Keyed/Splined	
	3032-3596	UFR Hypalon Covered	65-70	32.31	5.75	41.438	Keyed/Splined
3508	3508-1104-1	UFR Hypalon Covered (White)	85-90	9.04	3.25	16.4245	Keyed
	3508-1104-2	UFR Hypalon Covered (White)	65-70	9.04	3.25	16.4245	Keyed
	3508-1104-3	UFR Hypalon Covered (Black)	65-70	9.04	3.25	16.4245	Keyed
	3508-1104-4	UFR Natural Rubber Covered	75-80	9.04	3.25	16.424	Keyed
	3508-1105	LFR Knurled		9.28	2.25	21.1745	Keyed
	3508-1144	UFR Knurled		9.91	4.25	16.4245	Keyed

Pelletizer Feedrolls (continued)

Model	Part Number	Description	Durometer	Dimensions (Inches)			Shaft Type
				Roll Width	Roll OD	Total Length	
	3508-1268	UFR Serrated		9.04	4.25	16.4245	Keyed
	3508-1269	LFR Serrated		9.29	2.50	21.1745	Keyed
	3508-2087	LFR Knurled		9.29	2.25	21.1745	Keyed
	3508-2595	LFR Ceramic Coated		9.29	2.50	21.1745	Keyed
	3508-3080	LFR Knurled		9.29	2.50	18.688	Keyed/Splined
	3508-3081	UFR Hypalon Covered (White)	65-70	9.40	4.25	17.426	Keyed/Splined
	3508-3131	LFR Smooth		9.29	2.50	21.44	Keyed/Splined
	3508-3168	UFR Serrated		9.40	4.25	17.426	Keyed/Splined
	3508-3217	UFR Knurled		9.40	4.25	17.426	Keyed/Splined
	3508-3304	LFR Hypalon Covered	65-70	9.29	2.25	18.688	Keyed/Splined
3512	3512-1104-1	UFR Hypalon Covered (White)	85-90	13.10	3.25	20.487	Keyed
	3512-1104-2	UFR Hypalon Covered (White)	65-70	13.10	3.25	20.487	Keyed
	3512-1104-3	UFR Hypalon Covered (Black)	65-70	13.10	3.25	20.487	Keyed
	3512-1104-4	UFR Natural Rubber Covered	75-80	13.10	3.25	20.487	Keyed
	3512-1105	LFR Knurled		13.35	2.25	25.237	Keyed
	3512-1144	UFR Knurled		13.98	4.25	20.487	Keyed
	3512-1144-1	UFR Knurled		13.98	4.25	20.487	Keyed
	3512-1268	UFR Serrated		13.10	4.25	20.487	Keyed
	3512-1268-1	UFR Serrated		13.10	4.25	20.487	Keyed
	3512-1269	LFR Serrated		13.35	2.50	25.237	Keyed
	3512-2087	LFR Knurled		13.35	2.25	25.237	Keyed
	3512-2595	LFR Ceramic Coated		13.35	2.50	25.237	Keyed
	3512-3080	LFR Knurled		13.35	2.50	22.75	Keyed/Splined
	3512-3081	UFR Hypalon Covered (White)	65-70	13.10	4.25	21.488	Keyed/Splined
	3512-3131	LFR Smooth		13.35	2.50	25.50	Keyed/Splined
	3512-3168	UFR Serrated		13.10	4.25	21.488	Keyed/Splined
	3512-3217	UFR Knurled		13.10	4.25	21.488	Keyed/Splined
	3512-3304	LFR Hypalon Covered	65-70	13.35	2.25	22.75	Keyed/Splined
3516	3516-1104-1	UFR Hypalon Covered (White)	85-90	17.16	3.25	24.5495	Keyed
	3516-1104-2	UFR Hypalon Covered (White)	65-70	17.16	3.25	24.5495	Keyed
	3516-1104-3	UFR Hypalon Covered (Black)	65-70	17.16	3.25	24.5495	Keyed
	3516-1104-4	UFR Natural Rubber Covered	75-80	17.16	3.25	24.5495	Keyed
	3516-1105	LFR Knurled		17.41	2.25	29.2995	Keyed
	3516-1144	UFR Knurled		18.04	4.25	24.5495	Keyed
	3516-1268	UFR Serrated		17.16	4.25	24.5495	Keyed
	3516-1269	LFR Serrated		17.41	2.50	29.2995	Keyed

Pelletizer Feedrolls (continued)

Model	Part Number	Description	Durometer	Dimensions (Inches)			Shaft Type
				Roll Width	Roll OD	Total Length	
	3516-2087	LFR Knurled		17.41	2.25	29.2995	Keyed
	3516-2595	LFR Ceramic Coated		17.41	2.50	29.2995	Keyed
	3516-3080	LFR Knurled		17.41	2.50	26.813	Keyed/Splined
	3516-3081	UFR Hypalon Covered (White)	65-70	17.16	4.25	25.55	Keyed/Splined
	3516-3131	LFR Smooth		17.41	2.50	29.563	Keyed/Splined
	3516-3168	UFR Serrated		17.16	4.25	25.55	Keyed/Splined
	3516-3217	UFR Knurled		17.16	4.25	25.55	Keyed/Splined
	3516-3304	LFR Hypalon Covered	65-70	17.41	2.25	26.813	Keyed/Splined
3520	3520-1104-1	UFR Hypalon Covered (White)	85-90	21.23	3.25	28.612	Keyed
	3520-1104-2	UFR Hypalon Covered (White)	65-70	21.23	3.25	28.612	Keyed
	3520-1104-3	UFR Hypalon Covered (Black)	65-70	21.23	3.25	28.612	Keyed
	3520-1104-4	UFR Natural Rubber Covered	75-80	21.23	3.25	28.612	Keyed
	3520-1105	LFR Knurled		21.47	2.25	33.362	Keyed
	3520-1144	UFR Knurled		22.10	4.25	28.612	Keyed
	3520-1268	UFR Serrated		21.28	4.25	28.612	Keyed
	3520-1269	LFR Serrated		21.48	2.50	33.362	Keyed
	3520-2087	LFR Knurled		21.48	2.25	33.362	Keyed
	3520-2595	LFR Ceramic Coated		21.48	2.50	33.362	Keyed
	3520-3080	LFR Knurled		21.48	2.50	30.875	Keyed/Splined
	3520-3081	UFR Hypalon Covered (White)	65-70	21.23	4.25	29.612	Keyed/Splined
	3520-3131	LFR Smooth		21.48	2.50	33.625	Keyed/Splined
	3520-3168	UFR Serrated		21.23	4.25	29.612	Keyed/Splined
	3520-3217	UFR Knurled		21.23	4.25	29.612	Keyed/Splined
	3520-3304	LFR Hypalon Covered	65-70	21.48	2.25	30.875	Keyed/Splined
3524	3524-1104-1	UFR Hypalon Covered (White)	85-90	25.29	3.25	32.6745	Keyed
	3524-1104-2	UFR Hypalon Covered (White)	65-70	25.29	3.25	32.6745	Keyed
	3524-1104-3	UFR Hypalon Covered (Black)	65-70	25.29	3.25	32.6745	Keyed
	3524-1104-4	UFR Natural Rubber Covered	75-80	25.29	3.25	32.6745	Keyed
	3524-1105	LFR Knurled		25.53	2.25	37.4245	Keyed
	3524-1144	UFR Knurled		26.17	4.25	32.674	Keyed
	3524-1269	LFR Serrated		25.54	2.50	37.4245	Keyed
	3524-2087	LFR Knurled		25.54	2.25	37.4245	Keyed
	3524-2595	LFR Ceramic Coated		25.54	2.50	37.4245	Keyed
	3524-3080	LFR Knurled		25.54	2.50	37.875	Keyed/Splined
	3524-3081	UFR Hypalon Covered (White)	65-70	25.29	4.25	33.674	Keyed/Splined
	3524-3131	LFR Smooth		25.54	2.50	37.625	Keyed/Splined
	3524-3168	UFR Serrated		25.29	4.25	33.674	Keyed/Splined
	3524-3217	UFR Knurled		25.29	4.25	33.674	Keyed/Splined
	3524-3304	LFR Hypalon Covered	65-70	25.54	2.25	34.875	Keyed/Splined

Pelletizer 200 Series U-Joints

Part Number	Description	Bore (left)	Keyway (left)	Bore (right)	Keyway (right)	Spline
200-353-D22	Rotor U-Joint Assembly	1-1/4"	1/4"	1"	1/4"	
200-353-D2	LFR U-Joint Assembly	3/4"	3/8"	1"	1/4"	
200-353-D1	UFR U-Joint Assembly	1-1/4"		3/4"	3/8"	6



200-353-D22



200-353-D2



200-353-D1

Pelletizer 3000 Series U-Joints

Part Number	Description	Bore (left)	Keyway (left)	Bore (right)	Keyway (right)	Spline
3500-1215-D17	Rotor	1"	1/4"	1.25"	1/4"	6
3500-1215-D23	Upper Feedroll	1"	1/4"	1.25"	0.3125"	
3500-1215-D79	Upper Feedroll	1.125"		1.25"		6
3500-1215-D68	Lower Feedroll	1.25"		1.125"		6
3500	0.3152 Snap Pin					
3500-1215-D9	Lower Feedroll	1"	1/4"	1"	1/4"	



3500-1215-D17



3500-1215-D68



3500-1215-D23



3500-1215-D79



3500-1215-D9